IN THE CLAIMS:

- 1. (Canceled)
- 2. (Canceled)
- 3. (Currently Amended) A transmitter comprising:

a demultiplexer responsive to an applied input signal for developing a \underline{L} plurality of at least two signal streams, and

<u>L</u> a like plurality of channel coding/space-time coding transmitters, each responsive to a different signal stream of said plurality of signal streams, and each carrying out channel coding followed by space-time coding, said channel coding/space-time coding transmitters developing rates R_i i=1,2,...,L, that are not identical to each other.

- 4. (Currently Amended) The transmitter of claim 3 where each of said channel coding/space-time coding transmitters comprises:
 - a channel coding encoder of rate R_i ,
- a space-time encoder responsive to output signal of said channel eode coding encoder,

a mapper and pulse shaping circuitry responsive to said space-time encoder, and pulse shaping circuitry responsive to said mapper, and

at least two antennas for transmitting a space-time coded signal created by said space-time encoder mapped by said mapper, and conditioned by said pulse shaping circuitry.

- 5. (Canceled).
- 6. (Currently Amended) The transmitter of claim 4 where said demultiplexer develops an L plurality of signal streams, where said channel coders in said L channel coding/space-time coding transmitters develop rates R_i i=1,2,...,L, that are such that $R_1 > R_2 > ... > R_L$

- 7. (Currently Amended) The transmitter of claim 4 where said channel eode coding encoder performs trellis encoding.
- 8. (Currently Amended) The transmitter of claim 4 where said channel eode coding encoder performs convolutional encoding.

15. (Currently Amended) A transmitter comprising:

a demultiplexer responsive to an applied input signal for developing an L plurality of at least two signal streams where L is at least two, and

 \underline{L} a like plurality of channel coding encoders $\underline{i=1,2,...,L}$, each responsive to a different one of said plurality of signal streams and developing codes at R_i , where the rates for different values of index i are not identical to each other, and

 \underline{L} a like plurality of a space-time coding transmitters, each responsive to a different one of said channel coding encoders.

16. (Currently Amended) The transmitter of claim 15 where each of said space-time coding transmitters comprises:

a space-time encoder responsive to input signal of said space-time coding transmitter,

a mapper <u>and pulse shaping circuitry</u> responsive to said space time-encoder, <u>and</u> <u>pulse shaping circuitry responsive to said modulator</u>, and

at least two antennas for transmitting a space-time coded signal created by said space-time encoder, mapped by said mapper, and conditioned by said pulse shaping circuitry.

17. (Canceled)

18. (Currently Amended) The transmitter of claim $47 \underline{15}$ where said demultiplexer develops an L plurality of signal streams, where said channel coding encoders develop rates R_i i=1,2,...,L, that are such that $R_1 > R_2 > \cdots > R_L$.

- 19. (Currently Amended) The transmitter of claim $17 \ \underline{15}$ where said demultiplexer develops an L plurality of signal streams, where said channel coding encoders develop rates R_i i=1,2,...,L, that are such that $R_1 < R_2 < \cdots < R_L$.
- 20. (Previously Presented) The transmitter of claim 15 where said channel coding encoder performs trellis encoding or convolutional encoding.